


TECHNICAL SPECIFICATION SHEET


PRODUCT NAME: Flo Power Hub

PRODUCT CODE: USB/005/001 (Chinese Version)

Doc Rev 2. Product Rev #A 15.08.2016 CF




Flo Power Hub



H 23mm x W 150mm x D 92mm

Power Supply Unit (PSU)



H 35mm x W 120mm x D 50mm

Cable Length: 1100mm

Mains Cable



Cable Length: 1500mm

KEY FEATURES

- 3 x USB charging ports (1 fast charge, 2 standard charge ports)
- Compact size occupies minimal desk space
- Integrates with the monitor arm desk clamp to provide USB desktop charging
- Compatible with Flo Monitor arms
- o Compatible with post mounted arms using supplied adaptor washer
- O Available in two colour options:
 - Light grey to complement white monitor arms
 - Dark grey to complement silver monitor arms



^{*}Dimensions maybe subject to change

^{*}Dimensions maybe subject to change

^{*}Plug appearance may be subject to change

^{*}Note dimensions provided are measured in mm

Specifications

Product Classification Power & Lighting

Recycled Content 0.48%
Total Product Recyclable 20%

Flo Power Hub Specification

Product Dimensions: H 23mm x W 150mm x D 92mm

Product Colour: Light Grey & Dark Grey

Input: DC 5V, 5A

Output: 1st port DC 5V, 2.4A

2nd & 3rd port DC 5V, 1A

PSU Specification

Product Dimensions: H 35mm x W 120mm x D 50mm *

Power Cable Length: 1100mm * Product Colour: Black

Power Input: AC 100-240V, 50/60Hz,

Power Output: DC 5V, 5A

Mains Cable Specification

Power Cable Length: 1500mm * Product Colour: Black

LOGISTICAL

Box contains Flo Power Hub, Power Supply Unit (PSU), Mains Cable, Adaptor

Washer

Product net weight: 0.46 kg

Box dims (HxWxD) 85 x 165 x 100 mm

Box gross weight 0.55 kg **Carton quantity** 48

Master dims (HxWxD) 516 x 364 x 454 mm

Master weight 27.96 kg
Country of origin China
Country of configuration UK



^{*}Dimensions may be subject to change

ORDERING INFORMATION

Product Description Product code Colour

Flo Power Hub (Chinese Version) USB/005/001 :/DG Dark Grey or

:/LG Light Grey

WARRANTY

Warranty Term 2 Year

COMPLIANCE & SAFETY CERTIFICATION

The Flo Power Hub has been independently tested for compliance with the following standards:

IEC 60065:2001 +A1:2005 +A2:2011 Audio, video and similar electronic apparatus – Safety Requirements

EN 60065:2002 +A1:2006 +A11:2008 +A2:2010 +A12:2011 Audio, video and similar electronic apparatus – Safety Requirements

<u>EN 55022:2010/AC:2011</u> Information technology equipment – Radio disturbance characteristics – Limits and methods of measurements

<u>EN 55024:2010</u> Information technology equipment – Immunity characteristics – Limits and methods of measurements (CISPR 24:2010)

<u>AS/NZS CISPR 22:2009+A1:2010</u> Information technology equipment – Radio disturbance characteristics – Limits and methods of measurements

FCC Part 15 Subpart B:2014

47 CFR Part 15 Radio Frequency Devices

ICES-003 Issue 5 2012 Information technology equipment (ITE) - Limits and methods of measurement

UL 817 Standard for cord sets and power supply cords

CSA C22.2 NO 42 General use receptacles, attachment plugs, and similar wiring devices

<u>DIN EN 60320-1:2001 (VDE 0625-1)+A1 2007</u> Appliance couplers for household and similar general purposes. General requirements

BS 1363 Parts 1-5 plugs, socket-outlets, adaptors, fused connection units and conversion plugs

AS/NZS 60320.1:2004 Appliance couplers for household and similar general purposes. General requirements

<u>CNCA-01C-001:2001</u> Implementation rules for compulsory certification of certification or electrical and electronic products

JET2591-43006-1001 Power outlet plug for appliance

UL817 CSA C22.2


EN60320 C7




| Material Make-up | | | Total Recycled Content | Breakdown of Recycled Content | | Total Recyclable | |
|------------------|----------------|---------------|-------------------------------|-------------------------------|--------------|------------------|----------------|
| Overall Product | | | Overall Product | | | Overall Product | |
| Material type | Total Material | Percentage of | Material-Type | Percentage PIR | Percentage | Total | Total Product |
| | type weight | Total Product | Recycled Content (%) | of total weight | PCR of total | Product | Recyclable (%) |
| | (g) | Weight (%) | | (%) | weight (%) | Recyclable (g) | |
| Steel | 17.25 | 4% | 0.48% | 0.08% | 0.40% | 17.25 | 4% |
| Plastic | 79 | 17% | 0.00% | 0.00% | 0.00% | 79.00 | 17% |
| Electronics | 374 | 80% | 0.00% | 0.00% | 0.00% | 0.00 | 0% |
| | | | | | | | |
| Total | 470.25 | 100% | 0.48% | 0.08% | 0.40% | 96.25 | 20% |

PIR = Post Industrial Recycled PCR = Post Consumer Recycled

Total Product Weight (%)



Total Product Recycled Content (%)



CLEANING, STORAGE & MAINTENANCE

Routine servicing Periodic inspection

Service components No user serviceable components

Cleaning & Maintenance Damp cloth, no abrasives, no solvents to be used on the cosmetic

surfaces. IMPORTANT: Always disconnect from power source when

cleaning.

Handling & Storage Do not drop or expose to moisture

While every effort is made to ensure the accuracy of our technical information, Colebrook Bosson Saunders (Products) Ltd accept no liability for the accuracy of the information contained in this document and reserve the right to modify the specifications or data contained herein without prior notification.

