



TECHNICAL SPECIFICATION SHEET

lolly


PRODUCT NAME: Lolly Personal Light – North America

PRODUCT CODE: LLY/003/001

Doc Rev 1.

Product Rev #A

16.11.17 CF



Cable Length: 1500mm


*Dimensions maybe subject to change

H 35mm x W 120mm x D 50mm


Cable Length: 990mm

*Dimensions maybe subject to change

Power Supply Unit (PSU)



Mains Cable



Cable Length: 965mm

*Dimensions maybe subject to change

*Plug appearance dependant on territory

*Note dimensions provided are measured in mm

KEY FEATURES

- Offers standard (Type A) and latest USB Type C USB ports
- High power, long life LED light source
- Tilting lamp head
- Touch switch for on/off and four stage dimming
- 'Powersave' auto-off (switches off light after 4 hours of inactivity)
- Small footprint & lightweight – easily repositioned on the desk top to position the light exactly where required

SPECIFICATIONS

Product classification	Power & Lighting
Recycled content	19.3%
Total product recyclable	41.3%

Physical Dimensions

Product dimensions:	300mm x 90Ø
Light head tilt angle:	36°
Cable length:	1500mm*

Lighting Specifications

Light source:	Cree, XBDAWT-00-0000 00000LDE4
Light output:	450Lm (+/-50Lm), 4 stage dimmable
Light Watts:	5W (+/- 0.5W)
Light efficacy:	90 Lm/W
CRI:	75Ra
Colour temperature:	3700K to 5000K, Neutral White
Beam angle:	115 degree
Lifespan:	50000+ hours

USB Specifications

USB Type C	DC 5V 3A / DC 15V 3A (USB PD)
USB Type A	DC 5V 2.4A

PSU Specification

Product Dimensions:	35mm x 110mm x 50mm*
Power Cable Length:	1000mm*
Product Colour:	Black / White
Power Input:	AC 100-240V, 50/60Hz,
Power Output:	19V 3.78A

Mains Cable Specification

Power Cable Length:	950mm*
Product Colour:	Black / White

*Dimensions may be subject to change

LOGISTICAL

Box contains	Lolly personal Light, PSU, Mains Cable, Instructions
Product net weight:	0.82kg
Box dims (HxWxD)	355 x 150 x 103mm
Box gross weight	1.10kg
Carton quantity	4
Master dims (HxWxD)	330 x 383 x 255mm
Master weight	5 kg
Country of origin	China
Country of configuration	UK

ORDERING INFORMATION

<u>Product Description</u>	<u>Product code</u>	<u>Colour</u>
Lolly Personal Light	LLY/003/001	:/W White or :/B Black

Compatible Territories

USA / Canada / Mexico / Philippines

WARRANTY

Warranty Term 5 Years

COMPLIANCE & SAFETY CERTIFICATION

UL 153	Standard for Portable Electric Luminaires
UL8750	Standard for Light Emitting Diode (LED) Equipment for use in Lighting Products
CSA-C22.2 No 9	General Requirements for Luminaires
C22-2 No 12	Portable Luminaires
FCC Part 15B	FCC Title 47 Part 15 Subpart B - Unintentional radiators
ICES-003	Information Technology Equipment (Including Digital Apparatus) - Limits and Methods of Measurement
ANSI C63.4	American National Standard for Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz
LM79	Approved Method: Electrical and Photometric Measurements of Solid-State Lighting Products
Energy Star	
CEC title 20	

- NOM-003-SCFI-2014 (NMX-J-307-ANCE-2011) Electrical Products - Safety Requirements
- IEC 60598-1 Luminaires. General requirements and tests
- IEC 60598-2-4 Particular requirements - Portable general purpose luminaires
- IEC 60950-1 Information Technology Equipment - Safety- Part 1: General Requirements


ENVIRONMENTAL

Material Make-up			Total Recycled Content		Breakdown of Recycled Content		Total Recyclable	
Material type	Overall Product		Material-Type Recycled Content (%)	Overall Product		Percentage PIR of total weight (%)	Percentage PCR of total weight (%)	Overall Product
	Total Material type weight (g)	Percentage of Total Product Weight (%)		Percentage PIR of total weight (%)	Percentage PCR of total weight (%)			
Aluminium	87.0	11.2%	10.6%	5.6%	5.0%	87.0	11.2%	
Zinc	152.0	19.5%	8.6%	4.3%	4.3%	152.0	19.5%	
Steel	5.3	0.7%	0.1%	0.0%	0.1%	5.3	0.7%	
Plastic	72.0	9.3%	0.0%	0.0%	0.0%	72.0	9.3%	
Rubber	5.0	0.6%	0.0%	0.0%	0.0%	5.0	0.6%	
Mixed Electrical Parts	457.0	58.7%	0.0%	0.0%	0.0%	0.0	0.0%	
Total	778.3	100.0%	19.3%	9.9%	9.4%	321.3	41.3%	


PIR = Post Industrial Recycled

PCR = Post Consumer Recycled

Total Product Weight (%)



Total Product Recycled Content (%)



CLEANING, STORAGE & MAINTENANCE

Routine servicing	Periodic inspection
Cleaning & Maintenance	Damp cloth, no abrasives, no solvents to be used on the cosmetic surfaces
Handling & Storage	Do not drop or expose to moisture

While every effort is made to ensure the accuracy of our technical information, Colebrook Bosson Saunders (Products) Ltd accept no liability for the accuracy of the information contained in this document and reserve the right to modify the specifications or data contained herein without prior notification.