





PRODUCT NAME: Universal Cast Grommet

PRODUCT CODE: UNI/CSG100/K

Doc Rev 1. 27.05.2015. CF



*Note that dimensions provided are measured in mm

KEY FEATURES

- Mounts arm post into standard cable grommet hole
- Rounded contours, will not damage cable
- Suitable for desk thickness of 0 – 38mm
- Suitable for standard 3" / 75mm diameter grommet hole

| | |
|---------------------------------|----------------------------|
| Product Classification | Brackets, Clamps & Fixings |
| Max load | N/A |
| Build level | #B |
| Recycled content | 20% |
| Total product recyclable | 100% |

LOGISTICAL

| | |
|---------------------------------|-------------------------|
| Box contains | Grommet, stud, bar, nut |
| Product net weight: | 0.55 kg |
| Box dims (HxWxD) | 30 x 120 x 120 mm |
| Box gross weight | 0.59 kg |
| Carton quantity | 24 |
| Master dims (HxWxD) | 145 x 255 x 385 mm |
| Master weight | 14.5 kg |
| Country of origin | China |
| Country of configuration | UK |

ORDERING INFORMATION

| | | |
|----------------------|----------------------------|-------------------|
| <u>Colour</u> | <u>Product code</u> | <u>EAN</u> |
| Silver | UNI/CSG100/K/S | 5060096226468 |

WARRANTY

| | |
|----------------------|------------------|
| Warranty Term | Limited lifetime |
|----------------------|------------------|

COMPLIANCE & SAFETY CERTIFICATION

Whilst no mandatory standards apply to the monitor arm product sector, all Colebrook Bosson Saunders monitor arms have been designed with appropriate articulation features, dimensional range and adjustability to conform to the requirements of BS EN ISO 9241:5 1999 Ergonomic requirements for office work with visual display terminals (VDTs).

| | |
|----------------------------------|-----|
| Conformance certification | N/A |
| Test authority | CBS |
| Safety certification | N/A |

ENVIRONMENTAL

| Material type | Material type Weight | % PIR of total weight | % PCR of total weight | % of total product recyclable |
|--------------------|-------------------------|--------------------------|--------------------------|----------------------------------|
| Aluminium Die Cast | 0g | 0% | 0% | 0% |
| Aluminium Extruded | 0g | 0% | 0% | 0% |
| Plastic | 0g | 0% | 0% | 0% |
| Rubber | 0g | 0% | 0% | 0% |
| Steel | 262g | 0% | 11.97% | 47.90% |
| Zinc | 285g | 0% | 7.82% | 52.10% |
| Total | 547 | 10.42% | 32.82% | 100% |

CLEANING, STORAGE & MAINTENANCE

| | |
|-----------------------------------|---|
| Routine servicing | Periodic inspection |
| Service components | Available to order |
| Cleaning & Maintenance | Damp cloth, no abrasives, no solvents to be used on the cosmetic surfaces |
| Handling & Storage | Do not drop or expose to moisture |

Colebrook Bosson Saunders (Products) Ltd accept no liability for the accuracy of the information contained herein and retain the right to modify the specifications or data contained herein without prior notification.