

# flot

# **TECHNICAL SPECIFICATION SHEET**

**PRODUCT NAME:** Flo Plus Split Clamp **PRODUCT CODE:** DYN/026/A35

Doc Rev DRAFT. 26.03.15. CF





# **KEY FEATURES**

- o Compatible with Flo Plus Dynamic Monitor Arm.
- Top access screw position permits easy fitting from above-desk position.
- Attractive cover conceals fixing screws.
- Split design permits fitting in restricted space at rear of desk, e.g. between work surface and rear-of-desk screen panel.
- o Moulded pad protects work surface.
- o Configurable 180° stop system.

Product Classification Brackets, Clamps and Fixings

**Max load** 18kg (39.6lb)

**Clamping range** 0-70 mm work surface thickness

Build level #A
Recycled content 24%
Total product recyclable 100%



<sup>\*</sup>Note that dimensions provided are measured in mm

# **LOGISTICAL**

**Box contains** Clamp assembly and allen keys

Product net weight 2kg

**Box dims (HxWxD)** 165 x 140 x 140 mm

Box gross weight 2.2kg
Carton quantity 8

Master dims (HxWxD) 300 x 300 x 300 mm

Master weight18.2kgCountry of originChinaCountry of configurationUK

### ORDERING INFORMATION

<u>Colour</u> <u>Product code</u> <u>EAN</u>

White DYN/026/A35/W 5060270821601

 Silver
 N/A
 N/A

 Black
 N/A
 N/A

### WARRANTY

Warranty Term Limited lifetime warranty

### **COMPLIANCE & SAFETY CERTIFICATION**

Whilst no mandatory standards apply to the monitor arm product sector, all Colebrook Bosson Saunders monitor arms have been designed with appropriate articulation features, dimensional range and adjustability to conform to the requirements of BS EN ISO 9241:5 1999 Ergonomic requirements for office work with visual display terminals (VDTs).

Conformance certification BS EN ISO 9241:5 1999 Ergonomic Requirements for office work

with visual display terminals (VDTs). FIRA certificate of

conformance pending.

Test authority CBS
Safety certification N/A



## **ENVIRONMENTAL**

Material type	Material type	% PIR of	% PCR of	% of total product
	Weight	total weight	total weight	recyclable
Aluminium Die Cast	20.1g	0.21%	0.42%	1.06%
Aluminium Extruded	Og	0%	0%	0%
Plastic	49g	0.13%	0.13%	2.58%
Rubber	27.9g	0%	0%	1.47%
Steel	1805.1g	0%	23.73%	94.90%
Stainless Steel	Og	0%	0%	0%
Zinc	Og	0%	0%	0%
Brass	Og	0%	0%	0%
Total	1902.1g	0.34%	24.28%	100%

# **CLEANING, STORAGE & MAINTENANCE**

**Routine servicing** Periodic inspection **Service components** Available to order

Cleaning & Maintenance Damp cloth, no abrasives, no solvents to be used on the cosmetic

surfaces

Handling & Storage Do not drop or expose to moisture

Colebrook Bosson Saunders (Products) Ltd accept no liability for the accuracy of the information contained herein and retain the right to modify the specifications or data contained herein without prior notification.

