


TECHNICAL SPECIFICATION SHEET

PRODUCT NAME: Up to 75mm through desk fixing Kit

PRODUCT CODE: WSH/100S12/K

Doc Rev 1. 26.03.15. CF



KEY FEATURES

- Mounts WSH post system to work surface
- Suitable for desk thickness from 10-75mm

Product Classification Brackets, Clamps and Fixings

Max load Dependant on Arm

Build levelN/ARecycled content25%Total product recyclable100%



LOGISTICAL

Bag contains Stud, nut, plastic and steel washer

Product net weight: 0.1 kg

Bag dims (HxWxD) 140 x 61 x 40 mm (packed in poly bag)

Bag gross weight 0.1 kg
Carton quantity 72

Master dims (HxWxD) 370 x 195 x 100 mm

Master weight8 kgCountry of originChinaCountry of configurationUK

ORDERING INFORMATION

<u>Colour</u> <u>Product code</u> <u>EAN</u>

N/A WSH/100S12/K 5060096220886

WARRANTY

Warranty Term Limited lifetime

COMPLIANCE & SAFETY CERTIFICATION

Whilst no mandatory standards apply to the monitor arm product sector, all Colebrook Bosson Saunders monitor arms have been designed with appropriate articulation features, dimensional range and adjustability to conform to the requirements of BS EN ISO 9241:5 1999 Ergonomic requirements for office work with visual display terminals (VDTs).

Conformance certification N/A
Test authority CBS
Safety certification N/A



ENVIRONMENTAL

Material type Weight	Material type	% PIR of total weight	% PCR of total weight	% of total product recyclable
Aluminium	Og	0%	0%	0%
Plastic	1.3g	0.06%	0.06%	1.2%
Rubber	Og	0%	0%	0%
Steel	106.7g	0%	24.7%	98.8%
Other	Og	0%	0.00%	0%
Total	108g	0.06%	24.76%	100.00%

CLEANING, STORAGE & MAINTENANCE

Routine servicing Periodic inspection **Service components** Available to order

Cleaning & Maintenance Damp cloth, no abrasives, no solvents to be used on the cosmetic

surfaces

Handling & Storage Do not drop or expose to moisture

Colebrook Bosson Saunders (Products) Ltd accept no liability for the accuracy of the information contained herein and retain the right to modify the specifications or data contained herein without prior notification.

