




TECHNICAL SPECIFICATION SHEET

PRODUCT NAME: CBS Universal slide & Rotate Track 350mm

PRODUCT CODE: UNI/SR350

Doc Rev 1. 08.07.2015. CF



*Note that dimensions provided are measured in mm

KEY FEATURES

- Compatible with all CBS CPU holders
- Easy to install / quick product to mount
- Provides sliding function & 360° rotation

Product Classification	Clamps, Brackets & Fixings
Max load	25kg (55.1 lbs)
Build level	N
Recycled content	24%
Total product recyclable	100%

LOGISTICAL

Box contains	Track & fixings
Product net weight:	0.88 kg
Box dims (HxWxD)	355 x 125 x 24 mm
Box gross weight	0.95 kg
Carton quantity	20
Master dims (HxWxD)	365 x 265 x 260 mm
Master weight	19.5 kg
Country of origin	China
Country of configuration	UK

ORDERING INFORMATION

<u>Colour</u>	<u>Product code</u>	<u>EAN</u>
Silver	UNI/SR350/S	5060096228554

WARRANTY

Warranty Term	Limited lifetime
----------------------	------------------

COMPLIANCE & SAFETY CERTIFICATION

Whilst no mandatory standards apply to the CPU Holder product sector, all Colebrook Bosson Saunders CPU Holders have been designed with appropriate articulation features, dimensional range and adjustability to conform to the requirements of BS EN ISO 9241:5 1999 Ergonomic requirements for office work with visual display terminals (VDTs).

Conformance certification	N/A
Test authority	CBS
Safety certification	N/A

ENVIRONMENTAL

Material type	Material type Weight	% PIR of total weight	% PCR of total weight	% of total product recyclable
Aluminium Die Cast	0g	0%	0%	0%
Aluminium Extruded	0g	0%	0%	0%
Plastic	20g	0.11%	0.11%	2.27%
Rubber	2g	0%	0%	0.23%
Steel	860g	0%	24.38%	97.50%
Other	0g	0%	0%	0%
Total	882	0.11%	24.49%	100%

CLEANING, STORAGE & MAINTENANCE

Routine servicing	Periodic inspection
Service components	Available to order
Cleaning & Maintenance	Damp cloth, no abrasives, no solvents to be used on the cosmetic surfaces
Handling & Storage	Do not drop or expose to moisture

Colebrook Bosson Saunders (Products) Ltd accept no liability for the accuracy of the information contained herein and retain the right to modify the specifications or data contained herein without prior notification.