


TECHNICAL SPECIFICATION SHEET

PRODUCT NAME: CBS Universal Rotate Mount

PRODUCT CODE: UNI/ROT

Doc Rev 1. 03.07.2015. CF



KEY FEATURES

- o Compatible with all CBS CPU holders
- Easy to install / quick product to mount
- Provides 360° rotation

Product Classification Clamps, Brackets & Fixings

Max load 25kg (55.1 lbs)

Build level O
Recycled content 24%
Total product recyclable 100%



LOGISTICAL

Box contains Track & fixings

Product net weight: 0.46 kg

Box dims (HxWxD) 135 x 125 x 24 mm

Box gross weight 0.49 kg Carton quantity 20

Master dims (HxWxD) 275 x 265 x 260 mm

Master weight10.5 kgCountry of originChinaCountry of configurationUK

ORDERING INFORMATION

<u>Colour</u> <u>Product code</u> <u>EAN</u>

Silver UNI/ROT 5060096228578

WARRANTY

Warranty Term Limited lifetime

COMPLIANCE & SAFETY CERTIFICATION

Whilst no mandatory standards apply to the monitor arm product sector, all Colebrook Bosson Saunders monitor arms have been designed with appropriate articulation features, dimensional range and adjustability to conform to the requirements of BS EN ISO 9241:5 1999 Ergonomic requirements for office work with visual display terminals (VDTs).

Conformance certification N/A
Test authority CBS
Safety certification N/A



ENVIRONMENTAL

Material type	Material type Weight	% PIR of total weight	% PCR of total weight	% of total product recyclable
Aluminium Die Cast	Og	0%	0%	0%
Aluminium Extruded	Og	0%	0%	0%
Plastic	16g	0.17%	0.17%	3.42%
Rubber	Og	0%	0%	0%
Steel	452g	0%	24.15%	96.58%
Other	Og	0%	0%	0%
Total	468	0.17%	24.32%	100%

CLEANING, STORAGE & MAINTENANCE

Routine servicing Periodic inspection **Service components** Available to order

Cleaning & Maintenance Damp cloth, no abrasives, no solvents to be used on the cosmetic

surfaces

Handling & Storage Do not drop or expose to moisture

Colebrook Bosson Saunders (Products) Ltd accept no liability for the accuracy of the information contained herein and retain the right to modify the specifications or data contained herein without prior notification.

